## KIT DYNAMIC PHYSIO REHAB

- Useful supportive measures: 88X49cm

- Platform height: 36 cm

-Weight: 51 kg

- Physio and Rehab mechanism

- 4 rotating pulleys in composite material

- Dyneema D6 braids

-High strength bearings, C45 steel shaft

- Steel Work plan with powder coating

- Anti-slip cover

-6 adjustable feet

-2 wheels for transport

-1 carrying handle

- A one-size harness with removable and adjustable straps

-2 Cam Jam system carabiners for upper part exercises.

- 1 kit of 3 flywheels size S (2.6kg) M (3.8kg) L (5kg).





The SpaceWheel Dynamic Physio Rehab isoinertial platform boasts working dimensions of 88x49X27cm. It is made of steel and aluminium powder-coated. The support surface is protected by an anti-slip film.

The Rehab mechanism is composed of a C45 steel shaft on which the rope is wound linearly. The Physio mechanism is made up of two rope guide plates that allow the rope to wrap around the tree by overlapping and thus increasing the winding diameter, thus allowing a fluid and fast movement reducing to a minimum the tear in the inversion of the movement.

The platform is fitted on one side with two wheels and on the other with a handle for easy transport.

It also has adjustable feet to facilitate stability on the surfaces on which it rests.

The ropes are 4,5m long and are made of dyneema fibers protected by polyester.

The three flywheels have a diameter of 320mm and are a flywheel size S 2.5kg, M 3.8kg, L 5kg. The flywheels can be positioned on both sides of the platform and on each movement.

The kit also includes an ergonomic one-size harness with adjustable and removable shoulder straps and 2 carabiners (Cam Jam system) that allows you to lock the rope through an adjustable eccentric cam and then perform exercises with the upper part of the body.









The kit is supplied with 1 handle, 1 ankle to carry out exercises with upper and lower part of the body.





With the SpaceWheel Physio Rehab platform it is possible to perform numerous exercises with the upper and lower part of the body both with the Physio movement (More suitable for the rehabilitation of a

patient) and with the Rehab movement (More suitable for an athlete's re-education or initial development work of strength).

strengtii).

In addition it is possible to install a dedicated adjustable pulley to be applied to the wall to position the rope of the movements at the height you want.

The guide can be of 1 or 2 meters.

Dynamic Physio Rehab is compatible with SWDS (Spacewheel data software), the kit for measuring wireless real-time data.

It is possible to monitor the execution of the exercises through the dedicated tablet and the graphic display of force, power and express speed.

SpaceWheel also guarantees maximum safety and reliability as all products are provided with a declaration certificate that can be easily consulted on our online site.



